





E.MIX **Tile Grout** *Colour Chart*


Minimum quantities may be required for certain colours. Colour is dependent on pigment availability.



White
38



Ivory
36




Silver Grey
58



Toshiba Grey
665



Brown
46




Dark Brown
80



Apple Green
238



Marble Beige
212




Marble Brown
210



Blue
120



Amber
227



Dusky Orange
106



Charcoal
177



Topaz Green
228

SAINT-GOBAIN (SINGAPORE) PTE LTD
 Tel: +65 6330 8288
www.saint-gobain.sg

SAINT-GOBAIN WEBER (M) SDN BHD
 Tel: +603 6038 9498/97/87
www.saint-gobain.my

Colours shown are intended as a guide only. Slight colour variations may exist between chart colours and the actual product due to uncontrollable pigment fading, tarnishing of printed materials or paper aging.



E·MIX Tile Grout Colour Chart

Minimum quantities may be required for certain colours. Colour is dependent on pigment availability.

E·MIX TILE GROUT CONSUMPTION TABLE

Grout Powder (kg) required per m²

TILE SIZE (mm)			JOINT WIDTH (mm)			
Length	Breadth	Thickness	1.5	3	6	10
25	25	6	1.2	2.3	-	-
50	50	6	0.6	1.2	-	-
100	100	6	0.3	0.6	1.2	-
150	150	6	0.2	0.4	0.8	1.3
200	200	6	0.1	0.3	0.6	1
200	200	10	0.2	0.5	1	1.6
300	300	10	0.2	0.3	0.6	1.1
300	600	10	0.1	0.2	0.5	0.8
600	600	12	0.1	0.2	0.4	0.6
600	600	20	0.2	0.3	0.6	1.1

E·MIX TILE GROUT USAGE

Excluding wastages

$$\text{Consumption} \left(\frac{\text{kg}}{\text{m}^2} \right), p = \frac{(L + B)}{LB} \times W \times T \times C$$

L = Length of Tile (mm)
B = Breadth of Tile (mm)
T = Thickness of Tile (mm)
W = Width of Tile Joint (mm)
C = 1.6 for Tile Grout

$$\text{Total Consumption (kg)} = p \text{ (kg/m}^2\text{)} \times \text{Floor Area (m}^2\text{)}$$