

Weberad Cure

Concrete Curing Compound



Weberad Cure is a single-component, modified acrylic-based concrete curing compound.

PRODUCT BENEFITS



SPRAY APPLICATION



EASY APPLICATION



PROTECTIVE FILM

USES

Weberad Cure is sprayed onto fresh concrete surfaces to form a thin polymeric protective film, reducing surface water loss, without affecting the normal curing of concrete.

ADVANTAGES

- Reduces plastic shrinkage, cracking, and dusting
- Can be overcoated with paint, screed, or waterproofing material
- Does not re-emulsify or deteriorate in wet or exposed environments
- Replaces labour-intensive methods such as plastic sheeting and repeated watering

TECHNICAL DATA & PHYSICAL PROPERTIES

Base Material	Milky emulsion
Specific Gravity	Approx. 1.05
Viscosity	<500 cps
Thickness	3 - 10 mm
Curing Time	30 mins (Touch dry), 4 hrs (Initial cure), 12 hrs (Full cure)

Specifications are subject to change without notification. Results shown are typical but reflect laboratory test procedures conducted in laboratory conditions. Actual field performance will depend on installation methods and site conditions.

CONSUMPTION

Approx. 4-6 m² per kg.

STORAGE & PACKING

Weberad Cure is available in 20 litres pail and 200 litres drum.
Shelf life is 12 months if unopened, and kept in dry and cool conditions.

PRECAUTIONS

Weberad Cure may irritate eyes and skin. In case of contact with eyes, rinse immediately with plenty of water, and seek medical assistance. After contact with skin, wash immediately with plenty of soap and water. Keep out of reach of children.

*Note: Because it is not possible to give specific instructions for the various site conditions or to control the applications, the information on this Technical Data Sheet is for general guidance only. Saint-Gobain (Singapore) Pte Ltd reserves the rights to amend the contents of the data sheet at its sole discretion. (Apr '24)



SAINT-GOBAIN (SINGAPORE) PTE LTD

2 Venture Drive, #13-18,
Vision Exchange, Singapore 608526

(65) 63308288 (65) 63308289

eis.info@saint-gobain.com www.saint-gobain.sg

SAINT-GOBAIN WEBER (M) SDN BHD

No 29 & 31, Jalan TIAJ 2/1, Taman Industri Alam Jaya,
42300 Bandar Puncak Alam, Selangor D E, Malaysia

(603) 60389498/97/89 (603) 6038 9507

info.webermalaysia@saint-gobain.com www.saint-gobain.my



SAINT-GOBAIN