



Habito®

Part of a new generation of products specially designed to allow you to style your living space in a fast and functional way.



ROBUSTNESS



FIRE PROTECTION



FIXING CAPABILITY



FIXING STRENGTH



ECO FRIENDLY



PRODUCTIVITY GAIN



STABILITY



RECYCLING CERTIFIED



Habito® boards are strong and durable, with good sound insulation qualities, and are more user-friendly than traditional walls. They are the ideal way to adapt living spaces to current and future needs.

Habito® gives you the flexibility to restyle or renovate rooms or even redesign your entire home. The unique composition of the plaster core gives Habito® their exceptional qualities, allowing objects weighing up to 30kg to be hung from a simple chipboard screw with a diameter of 5mm. Whether you are installing curtain rods, flat screens, wall bars, cabinets, or paintings, mounting objects will not get any easier.

CHARACTERISTICS

High-performance gypsum plasterboard with a unique plaster core giving its exceptional qualities of allowing objects weighing 30kg to be hung from a simple chipboard screw with a diameter of 5mm. Achieves a severe duty rating in a single board partition system and satisfies BS 5234: Part 2 for strength and robustness requirements.

RECOMMENDED USE

Suitable for applications where fire, structural and acoustic levels are specified and designed for direct decoration.

PRODUCT FORMAT

Nominal Thickness	12.5mm
Nominal Weight	12.45kg/m ²
Nominal Sheet Size	1220mm x 2440mm
Edge Type	RECESSED EDGE

FIRE RATING

- Non-combustible in accordance to BS 476: Part 4
- Low fire propagation in accordance to BS 476: Part 6
- Class 1 surface spread of flame in accordance to BS 476: Part 7
- Classified as Class 0 material in accordance to BS 476: Part 6 & 7
- Complete drywall system providing up to 1 hour fire rating in accordance to BS 476: Part 22

EXTREME SHOCK-RESISTANCE

Thanks to its solid core, Habito® boards are up to five times stronger than regular boards and are more resistant to repeated impacts of children playing, moving furniture, and everyday wear and tear.



An impact-resistant partition system that provides a high-performance alternative to traditional brick walls. It is ideal for homes and high-traffic commercial areas where strong and robust walls are required.



SOUND INSULATION

Gyproc walls made from Habito® boards together with metal stud sections and mineral wool reduce noise from adjacent rooms.

EASY TO INSTALL

Despite its special strong plaster core, Habito® boards are easy to trim (cut the board with a safety cutter and apply pressure to break). Recommend score and snap size is 15 cm.

IMPORTANT

Always use No.10 wood screws to mount Habito® boards. Use a cordless electric screwdriver that operates at no more than 500 revs per minute. The maximum weight per one fixing point is 30 kg.

TIPS

- Always use coarse-thread screws with a diameter depending on the object.
- Screw thread must always run up to the head.
- No special tools or plugs needed, simply secure the screw on the board with a crosshead screwdriver.
- Always follow the manufacturer's instructions, e.g. if a TV plus wall bracket weighs 20kg and the bracket has to be fixed to the wall at four points, you must use four screws, even though the load-bearing capacity is 120kg.
- When choosing the screw length, always factor any piping or cables running behind the wall.

AESTHETIC PROPERTIES

- Crack-free
- Easily decorated with paint, cornices, etc.
- Seamless and smooth finishing

HANDLING AND WORKABILITY

- Lightweight
- Quick and easy installation

MANUFACTURING SPECIFICATIONS

- In compliance with BS EN 520

QUALITY ASSURANCE

- Product is manufactured in a facility certified to ISO 14001, ISO 45001, ISO 9001

HEALTH AND ENVIRONMENTAL CONTRIBUTIONS

- Made from 100% natural gypsum
- Recyclable material, environmentally friendly
- Green-labelled product endorsed by the Singapore Green Building Council
- Does not produce toxic fumes or hazardous substances that are harmful to health

The images provided are for reference only. Kindly obtain confirmation from Gyproc's Technical Support Personnel before submission of specification for any project. The information in this literature is accurate at the time of publishing. The publisher reserves all rights to revise the product specifications without prior notice. It is the user's responsibility to ensure that the information communicated here is current before use and that the information provided here is for guidance only. Users must ensure that they are fully conversant with the products and systems before specification or installation. (Habito®.2024)



SAINT-GOBAIN (SINGAPORE) PTE LTD
2 Venture Drive,
#13-18, Vision Exchange,
Singapore 608526.

+65 6330 8288 +65 6330 8289
www.saint-gobain.sg



SAINT-GOBAIN MALAYSIA SDN BHD
No 1 Jalan Sultan Mohamad 4,
Kawasan Perindustrian Bandar Sultan Suleiman,
42000 Port Klang, Selangor D E. Malaysia.

+603 3169 5588 +603 3169 5688
www.saint-gobain.my

